Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAKAB1626

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * *   Welcome to STN International   * * * * * * * * * *

 NEWS 1   Web Page for STN Seminar Schedule – N. America
 NEWS 2 OCT 02   CA/CAplus enhanced with pre-1907 records from Chemisches
                   Zentralblatt
 NEWS 3 OCT 19   BEILSTEIN updated with new compounds
 NEWS 4 NOV 15   Derwent Indian patent publication number format enhanced
 NEWS 5 NOV 19   WPIX enhanced with XML display format
 NEWS 6 NOV 30   ICSD reloaded with enhancements
 NEWS 7 DEC 04   LINPADOCDB now available on STN
 NEWS 8 DEC 14   BEILSTEIN pricing structure to change
 NEWS 9 DEC 17   USPATOLD added to additional database clusters
 NEWS 10 DEC 17   IMSDRUGCONF removed from database clusters and STN
 NEWS 11 DEC 17   DGENE now includes more than 10 million sequences
 NEWS 12 DEC 17   TOXCENTER enhanced with 2008 MeSH vocabulary in
                   MEDLINE segment
 NEWS 13 DEC 17   MEDLINE and LMEDLINE updated with 2008 MeSH vocabulary
 NEWS 14 DEC 17   CA/CAplus enhanced with new custom IPC display formats
 NEWS 15 DEC 17   STN Viewer enhanced with full-text patent content
                   from USPATOLD
 NEWS 16 JAN 02   STN pricing information for 2008 now available
 NEWS 17 JAN 16   CAS patent coverage enhanced to include exemplified
                   prophetic substances
 NEWS 18 JAN 28   USPATFULL, USPAT2, and USPATOLD enhanced with new
                   custom IPC display formats
 NEWS 19 JAN 28   MARPAT searching enhanced
 NEWS 20 JAN 28   USGENE now provides USPTO sequence data within 3 days
                   of publication
 NEWS 21 JAN 28   TOXCENTER enhanced with reloaded MEDLINE segment
 NEWS 22 JAN 28   MEDLINE and LMEDLINE reloaded with enhancements
 NEWS 23 FEB 08   STN Express, Version 8.3, now available
 NEWS 24 FEB 20   PCI now available as a replacement to DPCI
 NEWS 25 FEB 25   IFIREF reloaded with enhancements
 NEWS 26 FEB 25   IMSPRODUCT reloaded with enhancements
 NEWS 27 FEB 29   WPINDEX/WPIDS/WPIX enhanced with ECLA and current
                   U.S. National Patent Classification

 NEWS EXPRESS FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3,
              AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008

 NEWS HOURS   STN Operating Hours Plus Help Desk Availability
 NEWS LOGIN   Welcome Banner and News Items
 NEWS IPC8   For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that
specific topic.

   All use of STN is subject to the provisions of the STN Customer
   agreement. Please note that this agreement limits use to scientific
   research. Use for software development or design or implementation
   of commercial gateways or other similar uses is prohibited and may
   result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 09:00:25 ON 06 MAR 2008

=> file registry
COST IN U.S. DOLLARS   SINCE FILE   TOTAL
                                                ENTRY   SESSION
FULL ESTIMATED COST   0.21   0.21

FILE 'REGISTRY' ENTERED AT 09:00:31 ON 06 MAR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 4 MAR 2008 HIGHEST RN 1006657-22-2
DICTIONARY FILE UPDATES: 4 MAR 2008 HIGHEST RN 1006657-22-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

   Please note that search-term pricing does apply when
   conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>
Uploading C:\Program Files\Stnexp\Queries\10579355_3.str

chain nodes :
10 11
ring nodes :
1 2 3 4 5 6 7 8 9 12 13 14 15 16 17 21 22 23 24 25 26

```
chain bonds :
2-25  7-10  8-13  9-11
ring bonds :
1-2  1-6  2-3  3-4  4-5  5-6  5-7  6-9  7-8  8-9  12-13  12-17  13-14  14-15  15-16
16-17  21-22  21-26  22-23  23-24  24-25  25-26
exact/norm bonds :
2-25  5-7  6-9  7-8  7-10  8-9  8-13  9-11  21-22  21-26  22-23  23-24  24-25  25-
26

normalized bonds :
1-2  1-6  2-3  3-4  4-5  5-6  12-13  12-17  13-14  14-15  15-16  16-17
isolated ring systems :
containing 1 : 12 : 21 :


G1:C,N

G2:CH3,CF3,MeO

Match level :
1:Atom  2:Atom  3:Atom  4:Atom  5:Atom  6:Atom  7:Atom  8:Atom  9:Atom  10:CLASS
11:CLASS  12:Atom  13:Atom  14:Atom  15:Atom  16:Atom  17:Atom  21:Atom  22:Atom
23:Atom  24:CLASS
25:CLASS  26:CLASS




L1        STRUCTURE UPLOADED

=> d L1
L1 HAS NO ANSWERS
L1              STR
```



```
G1 C,N
G2 Me,CF3,MeO
```

Structure attributes must be viewed using STN Express query preparation.


```
=> s L1 SSS sam
SAMPLE SEARCH INITIATED 09:00:58 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -      191 TO ITERATE

100.0% PROCESSED      191 ITERATIONS                           0 ANSWERS
SEARCH TIME: 00.00.01
```

```
FULL FILE PROJECTIONS:   ONLINE   **COMPLETE**
                         BATCH    **COMPLETE**
PROJECTED ITERATIONS:        2991 TO      4649
PROJECTED ANSWERS:              0 TO         0


L2              0 SEA SSS SAM L1


=> s L1 SSS full
FULL SEARCH INITIATED 09:01:03 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      4394 TO ITERATE

100.0% PROCESSED      4394 ITERATIONS                          3 ANSWERS
SEARCH TIME: 00.00.01


L3              3 SEA SSS FUL L1


=> file marpat
COST IN U.S. DOLLARS                             SINCE FILE      TOTAL
                                                    ENTRY       SESSION
FULL ESTIMATED COST                                178.36       178.57


FILE 'MARPAT' ENTERED AT 09:01:13 ON 06 MAR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

FILE CONTENT: 1961-PRESENT VOL 148 ISS 8 (20080229/ED)

SOME MARPAT RECORDS ARE DERIVED FROM INPI DATA FOR 1961-1987

MOST RECENT CITATIONS FOR PATENTS FROM MAJOR ISSUING AGENCIES
(COVERAGE TO THESE DATES IS NOT COMPLETE):

US      7319102 15 JAN 2008
DE 102006031752 10 JAN 2008
EP      1878767 16 JAN 2008
JP    2008007634 17 JAN 2008
WO    2008015309 07 FEB 2008
GB      2439172 19 DEC 2007
FR      2903404 11 JAN 2008
RU      2315057 20 JAN 2008
CA      2550557 14 DEC 2007


Expanded G-group definition display now available.


Effective December 15th the iteration and answer limits in MARPAT
have increased from 100,000 to 200,000 for both on-line and batch
searches.  For more information on MARPAT search limits, type HELP
SLIMITS at an arrow prompt.


=> s L3 SSS full
FULL SEARCH INITIATED 09:01:45 FILE 'MARPAT'
FULL SCREEN SEARCH COMPLETED -      2252 TO ITERATE

100.0% PROCESSED      2252 ITERATIONS                          2 ANSWERS
SEARCH TIME: 00.00.02


L4              2 SEA SSS FUL L1
```

```
=> file caplus
COST IN U.S. DOLLARS                                  SINCE FILE      TOTAL
                                                        ENTRY       SESSION
FULL ESTIMATED COST                                    64.96        243.53

FILE 'CAPLUS' ENTERED AT 09:02:03 ON 06 MAR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN.  Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 6 Mar 2008  VOL 148 ISS 10
FILE LAST UPDATED: 5 Mar 2008  (20080305/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/infopolicy.html

=> s L3
L5                2 L3

=> d L5 ibib abs fhit 1;
'FHIT' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS --------- GI and AB
ALL --------- BIB, AB, IND, RE
APPS -------- AI, PRAI
BIB --------- AN, plus Bibliographic Data and PI table (default)
CAN --------- List of CA abstract numbers without answer numbers
CBIB -------- AN, plus Compressed Bibliographic Data
CLASS ------- IPC, NCL, ECLA, FTERM
DALL -------- ALL, delimited (end of each field identified)
DMAX -------- MAX, delimited for post-processing
FAM --------- AN, PI and PRAI in table, plus Patent Family data
FBIB -------- AN, BIB, plus Patent FAM
IND --------- Indexing data
IPC --------- International Patent Classifications
MAX --------- ALL, plus Patent FAM, RE
PATS -------- PI, SO
SAM --------- CC, SX, TI, ST, IT
SCAN -------- CC, SX, TI, ST, IT (random display, no answer numbers;
                 SCAN must be entered on the same line as the DISPLAY,
                 e.g., D SCAN or DISPLAY SCAN)
STD --------- BIB, CLASS

IABS -------- ABS, indented with text labels
IALL -------- ALL, indented with text labels
```

```
IBIB -------- BIB, indented with text labels
IMAX -------- MAX, indented with text labels
ISTD -------- STD, indented with text labels


OBIB -------- AN, plus Bibliographic Data (original)
OIBIB ------- OBIB, indented with text labels


SBIB -------- BIB, no citations
SIBIB ------- IBIB, no citations


HIT --------- Fields containing hit terms
HITIND ------ IC, ICA, ICI, NCL, CC and index field (ST and IT)
                containing hit terms
HITRN ------- HIT RN and its text modification
HITSTR ------ HIT RN, its text modification, its CA index name, and
                its structure diagram
HITSEQ ------ HIT RN, its text modification, its CA index name, its
                structure diagram, plus NTE and SEQ fields
FHITSTR ----- First HIT RN, its text modification, its CA index name, and
                its structure diagram
FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
                structure diagram, plus NTE and SEQ fields
KWIC -------- Hit term plus 20 words on either side
OCC --------- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field
codes.  For a list of the display field codes, enter HELP DFIELDS at
an arrow prompt (=>).  Examples of formats include: TI; TI,AU; BIB,ST;
TI,IND; TI,SO.  You may specify the format fields in any order and the
information will be displayed in the same order as the format
specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR,
FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC
to view a specified Accession Number.
ENTER DISPLAY FORMAT (BIB):end


   IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).

=> d his

     (FILE 'HOME' ENTERED AT 09:00:25 ON 06 MAR 2008)


     FILE 'REGISTRY' ENTERED AT 09:00:31 ON 06 MAR 2008
L1              STRUCTURE UPLOADED
L2          0 S L1 SSS SAM
L3          3 S L1 SSS FULL


     FILE 'MARPAT' ENTERED AT 09:01:13 ON 06 MAR 2008
L4          2 S L3 SSS FULL


     FILE 'CAPLUS' ENTERED AT 09:02:03 ON 06 MAR 2008
L5          2 S L3


=> d ibib abs hitstr 1-
YOU HAVE REQUESTED DATA FROM 2 ANSWERS - CONTINUE? Y/(N):y
```

I

AB   Based on a series of diaryl amides the corresponding inverse amides have been
      found to be potent TRPV1 receptor antagonists. Benzimidazole and indazolone
      derivs. prepared retained good potency in vitro and indazolone I was
      identified as a novel TRPV1 receptor antagonist suitable for evaluating orally
      in animal models of analgesia.
IT   852620-72-5P 852620-74-7P 852620-77-0P
      RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
      (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
      (Uses)
         (indazolones and benzimidazoles as TRPV1 receptor antagonists)
RN   852620-72-5 CAPLUS
CN   3H-Indazol-3-one, 1,2-dihydro-2-[4-(trifluoromethyl)phenyl]-6-[3-
   (trifluoromethyl)-2-pyridinyl]- (CA INDEX NAME)

RN   852620-74-7 CAPLUS

CN   3H-Indazol-3-one, 1,2-dihydro-6-(3-methyl-2-pyridinyl)-2-[4-
      (trifluoromethyl)phenyl]- (CA INDEX NAME)

RN   852620-77-0 CAPLUS
CN   3H-Indazol-3-one, 1,2-dihydro-6-(2-methoxyphenyl)-2-[4-
      (trifluoromethyl)phenyl]- (CA INDEX NAME)

REFERENCE COUNT: 12   THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS
                                RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5   ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2005:472147 CAPLUS Full-text
DOCUMENT NUMBER: 143:26598
TITLE: Indazol-3-ones and analogs and derivatives which
                          modulate the function of the vanilloid-1 receptor
                          (VR1)
INVENTOR(S):   Burkamp, Frank; Fletcher, Stephen Robert
PATENT ASSIGNEE(S):   Merck Sharp & Dohme Limited, UK
SOURCE: PCT Int. Appl., 28 pp.
   CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

      PATENT NO.   KIND   DATE   APPLICATION NO.   DATE
      ---------------   ----   --------   --------------------   --------
      WO 2005049601   A1   20050602   WO 2004-GB4809   20041112
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
              CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
              GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
              LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
              NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
              TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
         RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
              AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
              EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO,
              SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR,
              NE, SN, TD, TG

```
       AU 2004290624          A1    20050602    AU 2004-290624              20041112
       CA 2545710             A1    20050602    CA 2004-2545710            20041112
       EP 1687293             A1    20060809    EP 2004-798529             20041112
       EP 1687293             B1    20070926
           R:  AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
               IE, SI, LT, LV, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS
       CN 1882564             A     20061220    CN 2004-80033693           20041112
       JP 2007511495          T     20070510    JP 2006-538958             20041112
       AT 374195              T     20071015    AT 2004-798529             20041112
       US 2007129374          A1    20070607    US 2006-579355             20060511
       IN 2006DN02932         A     20070803    IN 2006-DN2932             20060522
PRIORITY APPLN. INFO.:                          GB 2003-26633          A   20031114
                                                WO 2004-GB4809         W   20041112
OTHER SOURCE(S):        CASREACT 143:26598; MARPAT 143:26598
GI
```


I

AB   The title compds., which are useful as therapeutic compds., particularly in
      the treatment of pain and other conditions ameliorated by the modulation of
      the function of the vanilloid-1 receptor (VR1) are prepared E.g. I was
      prepared In vitro activity of I and similar compds. was determined in CHO
      cells, stably expressing recombinant human VR1 receptors. Increases in
      intracellular Ca2+ occurring after addition of test compound alone, prior to
      addition of capsaicin, allow determination of intrinsic agonist or partial
   agonist activity.
IT   852620-72-5P 852620-74-7P 852620-77-0P
      RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
      (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
      (Uses)
          (preparation of indazol-3-ones for treatment of pain, inflammation and
          physiol. disorders ameliorated by the modulation of the function of the
   vanilloid-1 receptor (VR1))
RN   852620-72-5 CAPLUS
CN   3H-Indazol-3-one, 1,2-dihydro-2-[4-(trifluoromethyl)phenyl]-6-[3-
      (trifluoromethyl)-2-pyridinyl]- (CA INDEX NAME)


RN   852620-74-7 CAPLUS
CN   3H-Indazol-3-one, 1,2-dihydro-6-(3-methyl-2-pyridinyl)-2-[4-

Me

H
N
N

CF3

O

RN   852620-77-0 CAPLUS
CN   3H-Indazol-3-one, 1,2-dihydro-6-(2-methoxyphenyl)-2-[4-
       (trifluoromethyl)phenyl]- (CA INDEX NAME)

OMe

H
N
N

CF3

O

REFERENCE COUNT: 2   THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS
                              RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> log off
ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:y
STN INTERNATIONAL LOGOFF AT 09:05:05 ON 06 MAR 2008